10

15

20

## WHAT IS CLAIMED IS:

- 1. A method of generating display names for management definition data elements, said method comprising: receiving an element identifier;
  - retrieving a non-instance name from a management data definition in response to determining that an element corresponding to the element identifier is a non-instance element;
  - retrieving an instance name from the management data definition in response to determining that the element corresponding to the element identifier is an instance element; and displaying the retrieved name on a display device.
- The method as described in claim 1 wherein the management data definition includes a common information model managed object format file.
- 3. The method as described in claim 1 further comprising: locating a qualifier corresponding to the retrieved name; reading a qualifier value corresponding to the qualifier; and
  - replacing the retrieved name with the qualifier value prior to the displaying.
- 4. The method as described in claim 1 further comprising:
  searching a translation file for a translated string that
  corresponds to the retrieved name; and
  replacing the retrieved name with the translated string
  prior to the displaying.

15

20

- 5. The method as described in claim 1 further comprising: receiving an element request from a calling routine, the element request including the element identifier; and
- 5 returning the retrieved name to the calling routine.
  - 6. The method as described in claim 1 wherein retrieving the instance name further comprises:
    - identifying a plurality of properties corresponding to the element identifier;
    - retrieving a plurality of values, wherein each of the values corresponds with one of the properties; and writing each of the properties followed by the value corresponding to the property to the retrieved name.
  - 7. The method as described in claim 1 wherein retrieving the instance name further comprises:
    - identifying a property corresponding to the element
       identifier;
    - retrieving a property name corresponding to the property; and
  - writing the property name to the retrieved name.
    - 8. An information handling system comprising: one or more processors;
      - a memory accessible by the processors;
      - a nonvolatile storage area accessible by the processors;

25 and

10

15

25

a display name tool for generating display names from a
management definition file stored on the nonvolatile
storage device, the display name tool including:
input logic for receiving an element identifier;
retrieval logic for retrieving a non-instance name
from a management data definition in response
to determining that an element corresponding to
the element identifier is a non-instance
element;

retrieval logic for retrieving an instance name from the management data definition in response to determining that the element corresponding to the element identifier is an instance element; and

display logic for displaying the retrieved name on a display device.

- 9. The information handling system as described in claim 8 wherein the management data definition includes a common information model managed object format file.
- 20 10. The information handling system as described in claim 8 further comprising:
  - retrieval logic for locating a qualifier corresponding to the retrieved name;
  - input logic for reading a qualifier value corresponding
     to the qualifier; and
  - output logic for replacing the retrieved name with the qualifier value prior to displaying the retrieved name.

10

15

20

25

- 11. The information handling system as described in claim 8 further comprising:
  - retrieval logic for searching a translation file for a translated string that corresponds to the retrieved name; and
  - output logic for replacing the retrieved name with the translated string prior to displaying the retrieved name.
- 12. The information handling system as described in claim 8 further comprising:
  - input logic for receiving an element request from a calling routine, the element request including the element identifier; and
  - response logic for returning the retrieved name to the calling routine.
- 13. The information handling system as described in claim 8 wherein the retrieval logic for retrieving the instance name further comprises:
  - identification logic for identifying a plurality of
     properties corresponding to the element identifier;
    retrieval logic for retrieving a plurality of values,
     wherein each of the values corresponds with one of
     the properties; and
  - output logic for writing each of the properties followed by the value corresponding to the property to the retrieved name.

10

20

14. The information handling system as described in claim 8 wherein the retrieval logic for retrieving the instance name further comprises:

identification logic for identifying a property corresponding to the element identifier; retrieval logic for retrieving a property name corresponding to the property; and output logic for writing the property name to the retrieved name.

15. A computer program product stored on a computer operable medium for generating display names for management definition data elements, said computer program product comprising:

means for receiving an element identifier;

means for retrieving a non-instance name from a management data definition in response to determining that an element corresponding to the element identifier is a non-instance element;

means for retrieving an instance name from the management data definition in response to determining that the element corresponding to the element identifier is an instance element; and

means for displaying the retrieved name on a display device.

25 16. The computer program product as described in claim 15 wherein the management data definition includes a common information model managed object format file.

ļ.

5

10

15

- 17. The computer program product as described in claim 15 further comprising:
  - means for locating a qualifier corresponding to the retrieved name;
  - means for reading a qualifier value corresponding to the qualifier; and
  - means for replacing the retrieved name with the qualifier value prior to the displaying.
- 18. The computer program product as described in claim 15 further comprising:
  - means for searching a translation file for a translated string that corresponds to the retrieved name; and means for replacing the retrieved name with the translated string prior to the displaying.
- 19. The computer program product as described in claim 15 further comprising:
  - means for receiving an element request from a calling routine, the element request including the element identifier; and
- 20 means for returning the retrieved name to the calling routine.
  - 20. The computer program product as described in claim 15 wherein the means for retrieving the instance name further comprises:
- 25 means for identifying a plurality of properties corresponding to the element identifier;

10

15

20

- means for retrieving a plurality of values, wherein each of the values corresponds with one of the properties; and
- means for writing each of the properties followed by the value corresponding to the property to the retrieved name.
- 21. The computer program product as described in claim 15 wherein the means for retrieving the instance name further comprises:
  - means for identifying a property corresponding to the element identifier;
  - means for retrieving a property name corresponding to the property; and
  - means for writing the property name to the retrieved name.
- 22. A method of generating display names for management definition data elements, said method comprising: receiving an element identifier;
  - retrieving a non-instance name from a management data definition in response to determining that an element corresponding to the element identifier is a non-instance element, wherein the management data definition includes a common information model managed object format file;
- retrieving an instance name from a management data definition in response to determining that an element corresponding to the element identifier is an instance element;

10

15

20

25

locating a qualifier corresponding to the retrieved name; reading a qualifier value corresponding to the qualifier; replacing the retrieved name with the qualifier value;

and

displaying the retrieved name on a display device.

23. A method of generating display names for management definition data elements, said method comprising: receiving an element identifier;

retrieving an instance name from a management data definition in response to determining that an element corresponding to the element identifier is an instance element, the retrieving an instance name further including:

identifying a plurality of properties corresponding
 to the element identifier;

retrieving a plurality of values, wherein each of the values corresponds with one of the properties; and

writing each of the properties followed by the value corresponding to the property to the retrieved name; and

displaying the retrieved name on a display device.

- 24. An information handling system comprising: one or more processors;
- a memory accessible by the processors;
  - a nonvolatile storage area accessible by the processors;

10

15

20

25

a display name tool for generating display names from a
management definition file stored on the nonvolatile
storage device, the display name tool including:
input logic for receiving an element identifier;
retrieval logic for retrieving a non-instance name
from a management data definition in response
to determining that an element corresponding to
the element identifier is a non-instance
element, wherein the management data definition
includes a common information model managed
object format file;

retrieval logic for retrieving an instance name from
the management data definition in response to
determining that an element corresponding to
the element identifier is an instance element;
display logic for displaying the retrieved name on a
display device;

retrieval logic for searching a translation file for a translated string that corresponds to the retrieved name; and

output logic for replacing the retrieved name with the translated string prior to displaying the retrieved name.

25. A computer program product stored on a computer operable medium for generating display names for management definition data elements, said computer program product comprising:

means for receiving an element identifier;

5

means for retrieving a non-instance name from a

management data definition in response to

determining that an element corresponding to the

element identifier is a non-instance element,

wherein the management data definition includes a

common information model managed object format file;

means for retrieving an instance name from the management data definition in response to determining that the element corresponding to the element identifier is an instance element;

means for displaying the retrieved name on a display device;

means for locating a qualifier corresponding to the retrieved name;

means for reading a qualifier value corresponding to the qualifier; and

means for replacing the retrieved name with the qualifier value prior to the displaying.